



IntelliDrive Webinar

Safety Applications for Commercial Vehicles

January 20, 2010



Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- IntelliDrive for Commercial Vehicles Jon Mueller
- V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers



Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- ♦ V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- ◆ IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers





Overview of IntelliDrive

Brian Cronin
Team Lead
RITA ITS/JPO



Overview of IntelliDrive



- IntelliDrive Scope
 - Safety
 - Mobility
 - Environment



Overview of IntelliDrive



- Responsibilities within the US DOT
 - Research and Innovative Technology Administration (RITA)
 - Intelligent Transportation Systems (ITS)/Joint Program Office (JPO)
 - Federal Highway Administration (FHWA)
 - Federal Motor Carrier Safety Administration (FMCSA)
 - National Highway Traffic Safety Administration (NHTSA)
 - Federal Transit Administration (FTA)


IntelliDrives is Connectivity



Drivers



Vehicles






Wireless Devices



Infrastructure

It's All About Connectivity





Prive Communication Methods



- ◆ DSRC = Dedicated Short Range Communication "5.9 GHz"
- DOT is committed to the use of the DSRC technologies for active safety for both vehicle-to-vehicle (V2V) and vehicleto-infrastructure (V2I) applications
- All wireless technologies for applicability to safety, mobility, and environmental applications will be explored
- Connectivity to include both DSRC and non-DSRC+
- Key Benefits of DSRC:
 - Low latency communication (<< 50ms)
 - High data transfer rates (3 27 Mbps)
 - Up to 1000m and 360°

What Can IntelliDrives Do for You?

Mobility Benefits

- V2I, I2V Interactivity (SPAT)
- Data-Rich Environment
- Operations Efficiency
- Traffic, Transit, Parking
- Weather
- Performance Management

Environmental Benefits

- Reduce Emissions
- Save Fuel



Safety Benefits

- Increase Driver Situational Awareness
- Reduce or Eliminate Crashes
 - Driver Advisories
 - Driver Warnings
 - Vehicle Safety Controls





Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- ◆ IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers





IntelliDrive for Commercial Vehicles

Jon Mueller General Engineer FMCSA



IntelliDrive for Commercial Vehicles



- Examples of IntelliDrive Applications
 - Vehicle to Vehicle (V2V)
 - Forward Collision Warning
 - Blind spot Detection
 - Lane Change Warning
 - Do Not Pass Warning
 - Vehicle to Infrastructure (V2I)
 - Intersection Safety
 - Run-off Road Prevention
 - Smart Roadside
 - USDOT Truck Parking Programs
 - SmartPark
 - Automated Enforcement
 - Wireless Roadside Inspections

OPPORTUNITY

- A collision with a vehicle in transport was the first harmful event in 75% of all fatal crashes involving large trucks.*
- At full coverage and full effectiveness, IntelliDrive could save thousands of lives per year.

*FMCSA 2007 Large Truck and Bus Crash Facts



Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- ◆ IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers





IntelliDrive Vehicle to Vehicle Safety Applications Research Plan


Alrik L. Svenson Research Engineer NHTSA



Vehicle to Vehicle Communications for Safety



 The dynamic wireless exchange of data between nearby vehicles that offers the opportunity for significant safety improvements






V2V Safety Research Plan Goals



- Employ advanced V2V wireless technologies to mitigate or prevent crashes
- Establish robust DSRC standards for safetycritical applications
- Accelerate in-vehicle technology to ensure value for the first V2V vehicles





Research Outcomes



- Potential benefits of V2V technologies
- Develop practical, DSRC-based, V2V active safety applications
- Complete standards and solutions for security, scalability, positioning, and other technical issues
- Develop the driver-vehicle interface to minimize distraction and driver workload
- Develop aftermarket or retrofit solutions to accelerate
 V2V technology into all vehicles in the fleet
- Develop factual evidence to support NHTSA rulemaking decision in 2013



V2V Safety Application Research Tracks




- Track 1 Crash Scenario Framework
- Track 2 Interoperability
- Track 3 Benefits Assessment
- Track 4 Application Development
- ◆ Track 5 Driver Issues
- Track 6 IntelliDrive Policy Issues
- Track 7 Commercial Vehicle
- Track 8 Transit Vehicle



V2V Safety Application Research Plan







Track 7 Commercial Vehicles



Goals

- Develop a plan that is responsive to the needs of the commercial heavy vehicle industry stakeholders
- Conduct research activities to resolve the technical and policy issues impeding the accelerated deployment of V2V based safety systems for commercial vehicles
- Plan is organized similarly to the overall V2V plan with tracks to outline major areas and milestones




Commercial Vehicle V2V Research Tracks



- ◆ Track 7a Crash Scenario Framework
- Track 7b Application Development/Benefits
 Assessment
- Track 7c Interoperability
- Track 7d Human Factors/Driver Issues
- ◆ Track 7e Planning & Outreach
- ◆ Track 7f Policy
 - NHTSA CV regulatory decision in 2013



CV V2V Safety Applications Research Plan





Summary



- NHTSA, in cooperation with other U.S. DOT modal administrations, has begun research on V2V communications for safety as part of the IntelliDrive Program
- V2V has the potential for significant safety benefits for all vehicles
- Both NHTSA and FMCSA are conducting research on commercial vehicle V2V to support regulatory decisions on these systems in 2013



Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- ♦ V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- ◆ IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers





IntelliDriveSM CVO/ Freight

Vehicle to Infrastructure Overview

Tom Kearney
Transportation Specialist
FHWA



V2I – CVO/Freight




- IntelliDriveSM CVO/Freight addresses the safety and the mobility aspects of commercial vehicle operations
- Benefits of IntelliDriveSM CVO/Freight include "Smart Freight" component and more efficient intermodal freight linkages
- Advanced under the FHWA/FMCSA "Smart Roadside Initiative"
- Designed to support more effective and efficient enforcement activities safeguarding health of highway infrastructure and equity in the transport industry
- Includes not only automated enforcement but services to the commercial vehicle operator (Truck Parking, Road Weather and Operating Conditions Information, etc.)
- Compatibility with Private Sector Telematics
- V2I CVO/Freight Research "Roadmap" being developed



Roadside Programs/Projects Coordinated via Smart Roadside Initiative








Intelli Drive Recurring Congestion: 2035







Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- ♦ V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- ◆ IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers









Commercial Vehicle Infrastructure Integration

a.k.a.

Commercial Vehicle IntelliDrive



Richard McDonough
Office of Modal Safety & Security
NYS Department of Transportation











Commercial Vehicle Infrastructure Integration (CVII) Program

- I-95 Corridor Coalition funded program
- Complete interoperability! Communicate with any VII compliant vehicle or infrastructure
- Integrate VII communications device w/SAE J1708 commercial vehicle data bus
- Compliant/utilize the standard message sets SAE J1587, SAE J1939 and SAE 2735
- Project started May 2009
- Two year schedule for Phase 1
- CVII Advisory Team established













CVII Program – Phase 1

- Develop/Test CV VII compliant onboard equipment (OBE) systems including Highway Vehicle Implementations (HVI) for basic communication of general info (V2I/I2V)
- Develop/Test CV 5.9 GHz DSRC Applications:
 - CV Driver I.D. and Verification (V2I)
 - Wireless Vehicle Safety Inspection Info (V2I)
 - CV to Maintenance Vehicle Comm. (V2V)













CVII Program – Phases 2 and 3

- Phase 2 Pending/Scope Negotiations
 - Heavy Vehicle to Light Vehicle Driver Safety Warnings
- Phase 3 Initiated/Funding Approved
 - 5.9GHz Interoperability with CVISN compatible (existing) 915 MHz Virtual Weigh Stations/Electronic Screening Systems












CVII Phase 2:

1. V2V Enhanced Active Safety

- Passenger Vehicles/CV exchange heartbeat messages
- Warning scenarios:
 - Potential Blind Spot Warnings
 - Hard Braking Events (multiple vehicles ahead)
 - Tailgate warning














CVII Phase 2:

2. V2V Enhanced Active Safety

- CV analyzes heartbeats of nearby vehicles and sends an unsafe to pass message to trailing vehicle
- Ideal for rural/undivided highways













CVII Phase 2:

3. Enhanced Active Safety (Safe to Merge)

- The passenger car is overtaking the CV
- The CV includes weight and/or stopping distance in its heartbeat and we display a message to the driver of the pass-car when it is ok to merge in front of the CV.
- HMI could be shown as a Red-Yellow-Green zone


















NYSDOT Long Island Expressway IntelliDrive Test Bed














NYS IntelliDrive/CVII Corridors













Kapsch/NYSDOT/NYSERDA Commercialization of Aftermarket 5.9 GHz Device

Task # X.

Develop Aftermarket 5.9 GHz DSRC In-Vehicle Systems with Vehicle Databus Integration
Using Smart Phones for Driver Communication (Human Machine Interface)





Agenda



- Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- ♦ V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers





IntelliDrive Commercial Vehicle Working Group

Alrik L. Svenson Research Engineer NHTSA



IntelliDrive Commercial Vehicle Working Group



- The U.S. DOT invites interested stakeholders in the commercial vehicle industry to work with the Department on IntelliDrive in the areas of:
 - Safety
 - Mobility
 - Environment
- Opportunity to contribute to the research, development, and implementation of IntelliDrive
- Separate subgroups are being formed for each of these research areas



Commercial Vehicle IntelliDrive Workshop



- Held in conjunction with the April 2010 CVSA Spring Workshop in San Antonio, TX
- U.S. DOT CV IntelliDrive Workshop: April 21, 2010
- Meeting information will be posted at www.cvsa.org
- Presentations on current commercial vehicle Intellidrive plans and projects
- First CV Working Group meeting



CV IntelliDrive Workshop Information



For more information on the commercial vehicle working group or the April Workshop contact:

- Alrik Svenson, NHTSA, <u>Alrik.Svenson@dot.gov</u>
- Jon Mueller, FMCSA, <u>Jon.Mueller@dot.gov</u>



Agenda



- ◆ Introduction Jon Mueller, FMCSA
- Overview of IntelliDrive Brian Cronin, ITS/JPO
- ◆ IntelliDrive for Commercial Vehicles Jon Mueller
- V2V Research Plan Alrik Svenson, NHTSA
- V2I Overview Tom Kearney, FHWA
- CV IntelliDrive Project Rick McDonough, NYSDOT
- ◆ IntelliDrive CV Working Group Alrik Svenson
- Questions & Answers



Contact Information



Brian Cronin

Jon Mueller

Alrik Svenson

Tom Kearney

Richard McDonough

brian.cronin@dot.gov

jon.mueller@dot.gov

alrik.svenson@dot.gov

tom.kearney@dot.gov

rmcdonough@dot.state.ny.us